

COVID-19 VACCINE FAQ (Updated 12.14.2020)

This FAQ will be updated as information becomes available.

How many doses will the state get initially of the COVID-19 vaccine?

COVID-19 vaccine from Pfizer and BioNTech arrived in Idaho on Monday, and by the end of the week the state is expecting to have received all or most of our initial allotment of 13,650 doses of the ultra-cold vaccine. Shipments will continue each week.

Who gets COVID-19 vaccine first?

[Phase 1a](#) includes healthcare workers and residents of long-term care facilities. Skilled nurses and those working in assisted living and intermediate care facilities are counted as healthcare workers in this phase.

More specifically, the initial shipment of vaccine is destined for hospital staff and outpatient clinic staff who provide care for COVID-19 patients. The facilities will determine a schedule for their workers.

The Idaho COVID-19 Vaccine Advisory Committee (CVAC) has made recommendations on which populations should be prioritized for Phase 1b. The decision will ultimately be made by Gov. Brad Little.

CVAC is recommending that Phase 1b of the vaccination plan include essential workers not included in Phase 1a. CVAC is recommending the following types of essential workers be prioritized for vaccination in Phase 1b in the following order:

- First responders, including fire, police, protective services and community support personnel.
- Pre-K-12 school staff and teachers and daycare workers
- Correctional and detention facility staff, except medical staff already in Phase 1a
- Food processing workers
- Grocery and convenience store workers
- Idaho National Guard
- Other essential workers not already included and unable to telework or social distance at work

The list of recommended priority groups can be found on the coronavirus website at <https://coronavirus.idaho.gov/wp-content/uploads/2020/12/CVAC-Prioritization-for-HCP-and-Essential-Workers.pdf>

How can I get a COVID-19 vaccine?

The state is working with public health districts, hospitals, Federally Qualified Health Centers, and other facilities who will be receiving and administering early vaccine doses. **Information about how to obtain a vaccine will be forthcoming.** The list of recommended priority groups can be found on the coronavirus website at

<https://coronavirus.idaho.gov/wp-content/uploads/2020/12/CVAC-Prioritization-for-HCP-and-Essential-Workers.pdf>

I have a medical condition – how will I know if the vaccine is safe for me?

You should discuss your concerns with your healthcare provider to determine what is best for you. Clinical guidance on the first (Pfizer) vaccine from the Centers for Disease Control and Prevention is at:

https://www.cdc.gov/vaccines/covid-19/info-by-product/pfizer/clinical-considerations.html?CDC_AA_refVal=https%3A%2F%2Fwww.cdc.gov%2Fvaccines%2F covid-19%2Finfo-by-manufacturer%2Fpfizer%2Fclinical-considerations.html

Who decides the priority groups for the vaccine?

Idaho's COVID-19 Vaccine Advisory Committee (CVAC) discusses recommendations for sub-priority tiers in each phase of COVID-19 vaccination to advise the Governor. Sub-prioritization in Idaho for each phase is voted on by CVAC and a final decision is made by the Governor. As final approval is given to the priority populations, the determinations will be released to the public.

What is the process to prioritize groups for the vaccine?

An explanation of this complex process is available at: <https://coronavirus.idaho.gov/covid-19-vaccine/>

Is there a benefit to getting a COVID-19 vaccine?

COVID-19 vaccination can help keep you from getting COVID-19. COVID-19 vaccines are being carefully evaluated in clinical trials and will be authorized or approved only if they are shown to be safe and effective in reducing your chances of getting COVID-19. Based on what we know about vaccines for other diseases, experts believe that getting a COVID-19 vaccine may help keep you from getting seriously ill even if you do get COVID-19. Getting vaccinated yourself may also protect people around you, particularly people at increased risk for severe illness from COVID-19.

COVID-19 vaccination will be an important tool to help stop the COVID-19 pandemic.

Wearing masks and social distancing help reduce your chance of being exposed to the virus or spreading it to others, but these measures are difficult to maintain for long periods of time. Vaccines will work with your immune system so it will be ready to fight the virus if you are exposed.

I've already had COVID-19, so do I need the vaccine?

People who have gotten sick with COVID-19 may still benefit from getting vaccinated but may want to consider waiting to allow others to get vaccinated first.

Can the COVID-19 vaccine give you COVID-19?

No

Will the COVID-19 vaccine cause me to test positive on viral tests?

No

When are the meetings of Advisory Committee on Immunization Practices (ACIP) and Idaho's COVID-19 Vaccine Advisory Committee?

ACIP and Idaho COVID-19 Vaccine Advisory Committee meeting dates are posted on the coronavirus website at <https://coronavirus.idaho.gov/covid-19-vaccine/>

Some healthcare workers in the U.K. have had reactions to the vaccine, so do we have more information about that or are we concerned?

Two healthcare workers in the U.K. did have allergic reactions. Both individuals had a significant history of allergic reactions and both are recovering.

The U.S. Food and Drug Administration's (FDA) emergency use authorization of the Pfizer-BioNTech COVID-19 vaccine includes a warning not to administer the vaccine to individuals with a known history of severe allergic reaction to any component of the Pfizer-BioNTech's COVID-19 vaccine. Additionally, the Advisory Committee on Immunization Practices (ACIP) recommends that anyone who has had a severe allergic reaction to any vaccine or injectable therapy (intramuscular, intravenous, or subcutaneous) not receive the Pfizer-BioNTech COVID-19 vaccine at this time.

We are not concerned now, but will remain vigilant, especially since this is a new vaccine. Federal, state, and local public health agencies will be monitoring reports of adverse events. The department will be reviewing data from multiple systems where providers who vaccinate and individuals who receive the vaccine can report any reaction they think is related to vaccination. The data from clinical trials of the Pfizer-BioNTech vaccine indicate there is very little risk to a vast majority of people who will receive the COVID-19 vaccine. However, there are side effects to the vaccine because it stimulates the body's immune system. It is important to consider the balance between the risk of side effects and the benefit of a vaccinated community. The infection and death rates from COVID-19 in Idaho and the US are rising, and severe complications from COVID-19 can occur in people of any age. The UK has administered thousands of vaccines to date and there have only been a few reported cases of allergic reactions.

How are we sharing data securely to the federal government about vaccine recipients?

We are committed to honoring Idahoan's privacy and protecting the medical information of individuals who receive a COVID-19 vaccine. No information that can identify a person, such as their name, address, or date of birth, will be provided to the federal government. De-identified data will be shared through a secure data collection site at the federal level where it will be combined with information from other states to monitor vaccine efforts nationwide

Will employers require the COVID-19 vaccine?

Employers considering requiring vaccination of employees should consider relevant EEOC, CDC, and state guidance, including exemptions. However, public health officials recommend

private employers consider *encouraging* employees to take the vaccine rather than *requiring* employees to take the vaccine.

Will airlines require the COVID-19 vaccine for travel?

Currently, one airline company, Qantas (Australia), has declared that the airline is looking into changing its terms and condition to include proof of COVID-19 vaccination before entering the country. These requirements may expand to other airlines around the globe, including major U.S. airlines. A recent Harris Poll indicated two of three Americans (66%) say that, once vaccinations are available, passengers should be required to show proof of vaccination in order to fly.

Is the vaccine safe?

Many people are excited to receive the vaccine and do their part to return to a more normal way of life. However, people have many questions about the type of vaccine available and the speed with which the government, scientific, and pharmaceutical communities were able to come together to produce the vaccine. Common questions are addressed by the facts below:

FACT: COVID-19 vaccines will not give you COVID-19.

None of the COVID-19 vaccines currently in development in the U.S. use the live virus that causes COVID-19. There are several different types of vaccines in development. However, the goal for each of them is to teach our immune systems how to recognize and fight the virus that causes COVID-19. Sometimes this process can cause symptoms, such as fever. These symptoms are normal and are a sign that the body is building immunity. Learn more about [how COVID-19 vaccines work](#).

It typically takes a few weeks for the body to build immunity after vaccination. That means it's possible a person could be infected with the virus that causes COVID-19 just before or just after vaccination and become infected. This is because the vaccine has not had enough time to provide protection against the virus.

FACT: COVID-19 vaccines will not cause you to test positive on COVID-19 viral tests.

Vaccines currently in clinical trials in the U.S. won't cause you to test positive on [viral tests](#), which are used to see if you have a current COVID-19 infection.

If your body develops an immune response, which is the goal of vaccination, you could test positive on some COVID-19 antibody tests which indicate either past infection or immune response to a COVID-19 vaccine.

FACT: People who have gotten sick with COVID-19 may still benefit from getting vaccinated.

Due to the severe health risks associated with COVID-19 and the fact that re-infection with COVID-19 is possible, it is recommended that people get a COVID-19

vaccine even if they were infected with the virus that causes COVID-19. People who were recently infected may defer vaccination until 90 days after they were infected, if desired. Individuals who previously received passive antibody therapy (monoclonal antibodies or convalescent plasma) for COVID-19 should defer being vaccinated for at least 90 days after receipt of therapy to avoid possible interference with the vaccine.

At this time, experts do not know how long someone is protected from the virus after they've been infected. The immunity someone gains from having an infection, called natural immunity, varies from person to person. Some early evidence suggests natural immunity may not last very long.

We won't know how long immunity produced by vaccines lasts until more time passes since people were first vaccinated.

Both natural immunity and vaccine-induced immunity are important aspects of COVID-19 that experts are learning more about, and CDC will keep the public informed as new evidence becomes available.

FACT: Getting vaccinated can help prevent getting sick with COVID-19.

While many people with COVID-19 have only a mild illness, others may get a [severe illness](#) or they may even die. There is no way to know how COVID-19 will affect you, even if you are not at [increased risk of severe complications](#). If you get sick, you also may spread the disease to friends, family, and others around you while you are sick. COVID-19 vaccination helps protect you by creating an antibody response without having to experience disease. Learn more about [how COVID-19 vaccines work](#).

FACT: Receiving an mRNA vaccine will not alter your DNA

mRNA stands for 'messenger ribonucleic acid' and can most easily be described as instructions for how to make a protein or even just a piece of a protein. mRNA is not able to alter or modify a person's genetic makeup (DNA). The mRNA from a COVID-19 vaccine never enters the nucleus of the cell, which is where our DNA are. This means the mRNA does not affect or interact with our DNA in any way. Instead, COVID-19 vaccines that use mRNA work with the body's natural defenses to safely develop protection (immunity) to disease. Learn more about [how COVID-19 mRNA vaccines work](#).

How did vaccines get approved so quickly?

Production of the COVID-19 vaccines began sooner than is typical. Normally, production starts after a pharmaceutical company completes the development stage for a vaccine, which includes rigorous testing for safety and effectiveness. Every vaccine goes through a series of reviews and approvals by the FDA and the Advisory Committee on Immunization Practices (ACIP), among others. In the case of COVID-19 vaccines, the federal government invested taxpayer dollars to encourage

pharmaceutical companies to start production before the development stage completed.

The vaccines are still going through the same rigorous testing for safety and effectiveness, review, and approval process. However, because pharmaceutical companies began manufacturing the vaccine during the clinical trials, they were able to make the vaccines available as soon as they were authorized.

When will we have more information about the other priority groups, phases?

ACIP will meet and vote on further recommendations on priority groups. Idaho CVAC follows the recommendations of ACIP and votes on sub-prioritization of priority groups recommended by ACIP. The final decisions will be made by the Governor.

Who is authorized to administer the vaccines? How many providers are enrolled?

Any Idaho facility, organization, or healthcare provider licensed to possess or administer vaccine or provide vaccination services is eligible to enroll in Idaho's COVID-19 Vaccination Program. The enrollment process consists of completion of the CDC's COVID-19 Vaccination Program Provider Agreement, Supplemental COVID-19 Vaccine Redistribution Agreement, and completing provider training.

Provider enrollment numbers will be available soon on a public vaccine dashboard through <https://coronavirus.idaho.gov/>.

Will I have to pay?

Vaccine doses purchased with U.S. taxpayer dollars will be given to the American people at no cost. Providers that participate in the CDC COVID-19 Vaccination Program contractually agree to administer a COVID-19 vaccine regardless of an individual's ability to pay for the administration and regardless of their coverage status, and also may not seek any reimbursement, including through balance billing, from a vaccine recipient. People without health insurance or whose insurance does not provide coverage of the vaccine administration cost can also receive COVID-19 vaccine for free. Providers administering the vaccine to people without health insurance or whose insurance does not provide coverage of the vaccine administration can request reimbursement through the [Provider Relief Fund](#). Providers who have questions about billing or reimbursement of vaccine administration for patients covered by private insurance or Medicaid should contact the respective health plan or state Medicaid agency.

How long will it take to build immunity after I get the vaccine?

It typically takes a few weeks for the body to build immunity after vaccination with the recommended doses of vaccine. That means it is possible a person could be infected with the virus that causes COVID-19 just before or just after vaccination and become infected. This is because the vaccine has not had enough time to provide protection against the virus. However, because only prevention of infection by the virus through vaccination was studied, there is not enough information currently available to say if or when public health officials will stop recommending that vaccinated people [wear masks](#) and [avoid close contact with](#)

[others](#) to help prevent the spread of the virus that causes COVID-19. Experts need to understand more about the protection that COVID-19 vaccines provide before making that decision. Other factors, including how many people get vaccinated and how the virus is spreading in communities, will also affect this decision.

What about kids, since there is no vaccine for them?

There may not be a COVID-19 vaccine for children under the age of 16 until middle or late 2021. Researchers will need to examine the dosages, interval between doses, and the number of doses that work best in children. This process could take several months, according to pediatric infectious disease experts. In November 2020, the American Academy of Pediatrics (AAP) published [a statement](#) calling for drug manufacturers to include children in their trials soon. The Advisory Committee on Immunization Practices (ACIP) voted unanimously to recommend Pfizer-BioNTech's Covid-19 vaccine for people 16 years and older; however, children are not currently in priority groups for receipt of initial COVID-19 vaccine.

Who is paying for COVID-19 vaccine and administration?

The U.S. Government purchased millions of doses of COVID-19 vaccine doses through Operation Warp Speed, as part of the effort to ensure vaccine would be available as soon as clinical trials and safety and efficacy data indicated it would be effective and safe to administer to Americans. This means that no one in the U.S. should have out of pocket cost for vaccine. Vaccination providers may charge an administration fee, which can be reimbursed by a patient's public or private health insurance or, for uninsured patients, by the [Health Resources and Services Administration's Provider Relief Fund](#).

Do I need to wear a mask and practice physical distancing after I've received two doses of the COVID-19 vaccine?

Yes. While experts learn more about the protection that COVID-19 vaccines provide under real-life conditions, it will be important for everyone to continue with the behaviors necessary to help stop this pandemic, like covering your mouth and nose with a mask, washing hands often, staying at least 6 feet away from others, and limiting the number of people in group gatherings.

When can I stop wearing a mask and practicing physical distancing after I've been vaccinated?

There is not enough information currently available to say with certainty. Experts need to understand more about the protection that COVID-19 vaccines provide before making that decision. Other factors, including how many people get vaccinated and how the virus is spreading in communities, will also affect this decision.

What percentage of the population needs to get vaccinated to have herd immunity to COVID-19?

Herd immunity, also called community immunity, is a term used to describe the point at which enough people in a community have protection so that it is unlikely a virus or bacteria can spread and cause disease. As a result, the entire community has some protection even if some individual people do not have any protection themselves (for example, those who cannot be vaccinated due to health reasons). The percentage of people who need to have protection to achieve herd immunity varies by disease. Experts do not yet know what percentage of people would need to get vaccinated to achieve herd immunity to COVID-19.

What are the side effects of the vaccine? / Will the vaccine hurt?

Early data suggests that everyone should be prepared for mild to moderate side effects from the COVID-19 vaccine. These side effects – such as injection site pain or swelling, muscle pain, headaches, or mild to moderate fevers – are a sign that the body is producing an immune response, just like when a bug bite makes our skin feel itchy or dust makes us sneeze. Because the vaccine efficacy is higher after the second dose, some of these symptoms may be more pronounced after the second vaccine.

It is important to be prepared and know what to expect. You can try over-the-counter medicine like acetaminophen or ibuprofen to minimize side effects. If you can, plan to rest and take it easy following vaccination. Your body will be working hard to produce an immune response and get you protected against the virus.

What is an mRNA vaccine?

Like all vaccines, COVID-19 mRNA vaccines have been rigorously tested for safety before being authorized for use in the U.S. The mRNA technology is new, but not unknown and has been studied for more than a decade. mRNA vaccines do not contain a live virus and do not carry a risk of causing disease in the vaccinated person. mRNA from the vaccine never enters the nucleus of the cell and does not affect or interact with a person's DNA.

The mRNA vaccine can most easily be described as instructions for the cell on how to make a piece of the spike protein that is unique to SARS-CoV-2, the virus that causes COVID-19. This is like a genetic identification card. Since only part of the protein is made, it does not do any harm to the person vaccinated. After the piece of the spike protein is made, the cell breaks down the mRNA strand and disposes of it using enzymes in the cell. It is important to note that the mRNA strand never enters the cell's nucleus, where our DNA is, or affects genetic material.

Once the spike proteins are displayed on the cell surface, the SARS-CoV-2 "identification card" causes the immune system to begin producing antibodies and activating T-cells to fight off what it thinks is an infection. These antibodies are specific to the SARS-CoV-2 virus, which means the immune system is primed to protect against future infection

Keep up to date with all vaccine information by visiting the <https://coronavirus.idaho.gov/>